



Professional sound, redefined

SERIES VX





Discover the new VX Series
Our latest generation of professional loudspeakers

The PENTON PRO VX Series delivers powerful, high-performance sound with exceptional clarity and reliability.

These 2-way passive loudspeakers combine premium components, ultra-low distortion and uniform coverage, ensuring natural and dynamic sound reproduction for any professional installation!

Built from robust multi-layer plywood with a weather-resistant finish, the VX models are designed for both fixed and mobile applications. For extended low-frequency performance, they can be perfectly paired with the VX15B subwoofer.



VX6

Compact and robust, the VX6 delivers clear, balanced sound with ultra-low distortion.

- Rated power: 150W
- Compact 2-way passive point source loudspeaker
- 6" high-sensitivity 1f driver + 1" compression driver
- 100° constant directivity horn for even sound coverage
- Ultra-low harmonic distortion (<1%)
- Maximum SPL: 121 dB @ 1 m
- Durable multi-layer plywood enclosure with impact- and water-resistant coating
- Metal grille
- M8 mounting inserts and 35 mm pole socket for flexible installation

VX8

Powerful and versatile, the VX8 ensures precise coverage and high output for demanding installations.

- Rated power: 250W
- P8" high-sensitivity LF driver + 1.5" compression driver
- Rotatable 80° x 50° constant directivity horn
- Ultra-low harmonic distortion (<1%)
- Maximum SPL: 125 dB @ 1 m
- Durable multi-layer plywood enclosure with impact- and water-resistant coating
- Metal grille
- M8 mounting inserts and 35 mm pole socket for flexible installation



VX10

The VX10 combines power and precision, delivering balanced performance with uniform coverage and crystal-clear sound.

- Rated power: 400W
- 2-way passive point source loudspeaker
- 10" high-sensitivity lf driver + 1.5" compression driver
- Rotatable 80° x 50° constant directivity horn for consistent sound coverage
- Ultra-low harmonic distortion (<1%)
- Maximum SPL: 129 dB @ 1 m
- Durable multi-layer plywood enclosure with impact- and water-resistant coating
- Metal grille
- M8 mounting inserts and 35 mm pole socket for flexible installation



VX12

High-powered and durable, the VX12 delivers exceptional clarity and impressive sound pressure for large venues.


- Rated power: 500W
- 2-way passive point source loudspeaker
- 12" high-sensitivity LF driver + 1.5" compression driver
- Rotatable 80° x 50° constant directivity horn for consistent sound coverage
- Ultra-low harmonic distortion (<0.7%)
- Maximum SPL: 132 dB @ 1 m
- Durable multi-layer plywood enclosure with impact- and water-resistant coating
- Metal grille
- M8 mounting inserts and 35 mm pole socket for flexible installation

VX15B

Engineered for power and reliability, the VX15B enhances any VX system with deep and precise low-frequency reinforcement.

- Rated power: 800W
- Dedicated subwoofer for the PENTON PRO VX Series
- 15" long-throw high-sensitivity LF driver
- Direct-radiating bass reflex design with omnidirectional dispersion
- Deep and controlled bass down to 42 Hz
- Maximum SPL: 132 dB @ 1 m
- Ultra-low harmonic distortion (<0.5% at rated power)
- Recommended amplifier power: 800–1000 W @ 8 Ω
- Durable multi-layer plywood enclosure with impact- and water-resistant coating
- Metal grille
- M8 mounting inserts and 35 mm pole socket for easy integration





ATEIS Europe B.V.
Celsiusstraat 1 - 2652XN Lansingerland
Rotterdam Region, Netherlands



+31 (0)10 208 8690



info.eu@ateis.global



ATEIS Europe B.V.



www.ateis-europe.com

www.ateis-europe.com